Author Index to Volume 1

Ackerly, C. A., 327
Alroy, Joseph, 201
Angquist, Karl-Axel, 309, 461
Aparisi, Thomas, 111, 455
Ayala, A. G., 1

Ballard, R. W., 487
Bartsch, G., 89
Battifora, Hector, 157, 450
Bauermeister, Donald E., 19
Bender, Bruce L., 287
Blomquist, E., 11
Bockus, Dawn, 19
Boysen, Morten, 477
Brawn, Peter N., 495
Brunk, U., 11
Brunning, Richard D., 55
Butler, J. J., 511

Cameron, A. H., 271
Capella, Carlo, 411
Carter, William B., 559
Catalano, Edison, 403
Chejfec, Gregorio, 151, 367
Clawson, C. Carlyle, 223, 533
Crow, Julie, 583

Dardi, Loren E., 499
Daróczy, Judit, 101
Davis, Stephen, 527
Depierreux, J., 445
Dhom, G., 127, 133, 141
Dorfman, Howard D., 455
Dustin, P., 445

Ectors, M., 445
Ericsson, Jan L. E., 111, 455, 583

Faria, Victor, 583
Fenoglio, Cecilia M., 189, 419
Ferrans, Victor J., 67
Flament-Durand, J., 445
Forslind, B., 301
Fredriksson, B.-A., 11
Fresko, Oya, 39, 361
Frigerio, Bruno, 411
Froelich, Walter, 449

Geissinger, H. D., 71, 327
Ghadially, F. N., 249
Gould, Victor E., 151, 201, 367, 499
Grimelius, Lars, 49
Gyorkey, F., 211
Gyorkey, P., 211

Hammar, Samuel P., 19
Hansen, Kristen C., 377
Hashida, Yoshie, 7
Hayat, M. A., 583
Henry, Kristin, 67
Henschel, Allan, 357
Hickey, R. C., 265
Hill, C. S., 265
Hill, Lucius D., 19
Hohbach, Ch., 127, 133, 141
Hollman, Keith O., 19
Horn, Nina, 237
Hou-Jensen, Klaus, 357
Hussey, D. H., 265

Ingram, Peter, 471
Iossifides, I., 511

Jao, Wellington, 367
Jensen, O. A., 237
Johannessen, Jan Vincents, 71, 72, 271, 281, 282, 499
Jones, Hugh W., 19

Kaiserling, E., 453
Kameya, Toru, 177
Katzenstein, Anna-Luise A., 337
Kim, Hun, 453
Kjeldsberg, Elizabeth, 457
Kodama, Tetsuro, 177
Koketsu, Hiroshi, 177

Lapis, Károly, 105
Lennert, K., 453
Levine, Gerald D., 121
Lewis, Edmund J., 575
Lukeman, J. M., 171
Luna, M. A., 265

Mackay, Bruce, 1, 67, 171, 265, 453, 495, 511
Marquet, Eugene, 527
Martinez-Hernandez, Antonio, 403
Mazur, Michael T., 337
Memoli, Vincent A., 499
Mennemeyer, Ralph P., 19
Mihatsch, M. J., 79, 85

Nielsen, Vibeke Thue, 377
Nunez-Alonso, Carlos, 157

Orenstein, Harry H., 189

Parkin, Janet L., 55
Patterson, Susan D., 487
Paulsen, Stein Meling, 377
Pecoraro, Roger E., 559
Polak, Julia M., 411

Rais, Olev, 309
Rambotti, Pietro, 527

Reith, Albrecht, 477
Remington, Franque, 19
Reuhl, Kenneth R., 519
Reyes, Cesar V., 367
Richart, Ralph M., 189
Roddy, Hugh J., 385
Rohr, H. P., 89
Roomans, G. M., 301
Rosai, Juan, 121, 449

Sajjad, S. M., 171
Sanfilippo, Fred, 471
Schwartz, Melvin M., 575
Seo, In Sook, 395
Shelburne, John, 471
Shimosato, Yukio, 177
Sibley, Richard, 449
Sidhu, Gurdip S., 39, 361
Silverberg, Steven G., 385
Sinkovics, J. G., 211
Sjöstrom, Michael, 309, 461
Sobel, Harold J., 75, 97, 527
Sobrinho-Simões, Manuel A., 284
Solcia, Enrico, 411
Søndergaard, Knud, 357
Stejskal, Josef, 243

Tamai, Seiichi, 177
Timson, Catherine M., 411
Toner, Peter G., 271

Vracko, Rudolph, 559
Vriend, R. A., 327

Warner, T. F. C. S., 395
Weiss, Leon, 67
Westermark, Per, 49
Wetzel, William J., 519
Wheelis, Roger F., 19
White, James G., 223, 533
Wilander, Erik, 49
Winterbauer, Richard H., 19

Yamashiro, S., 327
Yoneyama, Takeshi, 177
Yunis, Eduardo J., 287

Zeitler, Elmar, 275
Zollinger, H. U., 79, 85
Zucker-Franklin, Dorothea, 67

Subject Index to Volume 1

Acid phosphatase, in Chédiak-Higashi syndrome, 226–228
Acute myelogenous leukemia, myeloblastic tubular complexes, 55–64
Adenocarcinoma, colon, 404
Adenoma:
  endocervical, 428–431
  mixed endocervical-intestinal, 431–433
Adenomatoid tumor, epididymis, 39–47
Adenosarcoma, müllerian, of uterus, 189–200
Adenovirus, in sudden infant death syndrome, 7
Aging, basal lamina and, 559
Airway metastasis, bronchioloalveolar carcinoma, 177
Allwörden phenomenon, 305
Alport's syndrome, 85–88
Amyloid, in gastroduodenal endocrine tumors, 50
Androcur (*see* Cyproterone acetate)
Anemone cell tumor, 449–453
Antibodies, serum precipitating, 19
Antigens, fungal, 19
Antrum, endocrine tumors, 50
Apocrine carcinoma, 385–392
Apocrine metaplasia, 389–392
Argyrophilic cells, in neuroendocrine esophageal carcinoma, 369
Articular cartilage, 259–260
Astrocytes, differentiating criteria, 289
Atrophy, spinal muscular, 332–334
Atypical muscular dystrophy, 328–332

Balloon cell, in metastatic melanoma, 357–360
Basal cells, 423
Basal lamina:
  in aging, 559
  in diabetes mellitus, 559
Benign prostatic hyperplasia:
  bromocryptine in, 89, 93
  cyproterone acetate in, 89, 93
Biochemical analysis, lobular carcinoma of breast, 152
Birbeck granules (*see* Langerhans' cell granules)
Bladder, epithelial-stromal interface, 201–209
Bleomycin toxicity, and intranuclear tubular inclusions, in type II alveolar pneumocytes, 211–219
Blood platelet:
  anatomy, 534–536
  biostructure, 533–554
  organelle zone, 537, 547–550
  peripheral zone, 536, 541–547
  sol-gel zone, 537
Blood vessel wall, unidentified bodies in, 271–273
Book reviews:
  Ahmed, Ali: Atlas of the Ultrastructure of Human Breast Diseases, 282
  David, Heinz: Ortho- and Pathomorphology of Human and Animal Cells in Drawings, Diagrams and Constructions, 71
  David, Heinz: Quantitative Ultrastructural Data of Animal and Human Cells, 281
  Dustin, Pierre: Microtubules, 72
  Hansell, Peter (Ed.): A Guide to Medical Photography, 281
  Hayat, M. A.: Introduction to Biological Scanning Electron Microscopy, 71
  Millonig, G.: Laboratory Manual of Biological Electron Microscopy, 72
Brain death, 445–448
Breast:
  apocrine carcinoma, 385–392
  lobular carcinoma, 151–156
Brenner tumor, 438–440
Bromocryptine (Parlodel), in benign prostatic hyperplasia, 89, 93
Bronchial carcinoid, 172–176
Bronchioloalveolar carcinoma:
  cell incohesiveness and patterns of extension, 177–187
  Langerhans' cells in, 19–36
Bronchogenic carcinoma, kidney in, 527
Busulfan toxicity, and intranuclear tubular inclusions, in type II alveolar pneumocytes, 211–219

Calcitonin, in neuroendocrine skin carcinoma, 502
Capillaries, muscle, basal lamina of, in aging and diabetes, 559–573
Carcinoid:
  appendix, 404
  bronchial, 171–176
  gastric, 411–417
  thymic, spindle cell, 121–126
Carcinoma:
  apocrine, of breast, 385–392
  bronchioloalveolar, 19–36, 177–187
  bronchogenic, 527
  clear cell, ovarian, 436–439
  colon, 403–409
  endometrioid, 434–438
  glassy cell, of cervix, 377–384
  hepatocellular clear cell, 105–109
  lobular, of breast, 151–156
  neuroendocrine: of esophagus, 367–375
    of skin, 499–508
  papillary, of bladder, 202
  parathyroid, 141–150
  small cell, of thyroid, 265–269
  transitional cell, of bladder, 203
Case for the panel: 67, 271, 449, 583
Cell(s):
  anemone, 449
  balloon, 357–360
  basal, 423
  ciliated, 420
  ECL (enterochromaffinlike), 411, 414–416
  epithelial, in nasal blastoma, 488
  epithelioid, 67

Cell(s) (*Cont.*):
giant, Warthin-Finkeldey type, 243
glassy, 377
human glial, 11
human melanoma, 1
incohesiveness, in bronchioloalveolar carcinoma, 177
intermediate, 160
interstitial, 127
Langerhans, 19
lipoblasts, 168
Merkel, 499
myoblast, leukemic, 55
myofibroblast, 491
nonciliated, 423
oncocytes, 171, 389
osteoblasts, 111
perivascular mesenchymal, 157
polymorphonuclear leukocytes, 223
renewal, and basal lamina accumulation, 559
secondary lysosomes, 11, 231
signet ring, 511
spindle, 123
in nasal blastoma, 488
synovial intimal, 249
undifferentiated mesenchymal, 160
Celomic inclusion cysts, 419–420
Central nervous system pathology, in tuberous sclerosis, 287–298
Cervix, glassy cell carcinoma, 377–384
Chédiak-Higashi syndrome, 223–234
Chemodectoma, laryngeal, 133–138
Chest wall tumor, 97–100
Ciliogenesis, 420–423
Clear cell carcinoma:
hepatocellular, 105–109
ovary, 436–439
Clefts, in intradermal melanocytic nevi, 361–365
Colon, carcinoma, stromal reactions, 403–409
Copper:
in green hair, 301–307
subcellular distribution, in Menkes syndrome, 237–242
Correlation microscopy:
advantages, 334
in muscular dystrophy and muscular atrophy, 327–334
Crewe, Albert V., 275–279
Cryoglobulinemia, mixed IgG/IgM, 79–82
Crystalline inclusions, in neuroblastoma, 495–496
Cuticula, damage to, in green hair, 303, 305–306
Cyproterone acetate (Androcur), in benign prostatic hyperplasia, 89, 93, 94
Cyst(s), celomic inclusion, 419–420
Cystadenocarcinoma, mucinous, 434–435
Cystadenoma:
benign mucinous, 428–432
serous, 421–422
Cytochemistry:
of giant granules, in Chédiak-Higashi syndrome, 226–229
of membrane systems, in blood platelets, 539, 544, 545, 547, 549
Cytofilaments, aggregation, in hyaline tumor cells, 395–400
Cytology, sputum, in bronchioloalveolar carcinoma, 179

Dense tubular system (DTS), of blood platelet, 537, 539–540, 544–547, 549–553
Diabetes mellitus, basal lamina in, 559–572
Discoid platelet, 534–539
Duchenne muscular dystrophy, correlation microscopy in, 332
Duodenum, endocrine tumors, 49–53

Elastosis, colonic carcinoma, 403
Electron microscopy:
in acute myelogenous leukemia, 56
adenomatoid tumor, 40
Alport's syndrome, 85
apocrine carcinoma of breast, 386
articular territory of reticuloendothelial system, 249
astrocytes, 289
benign interstitial cell testicular tumor, 127
in benign prostatic hyperplasia, 89
in brain death, 445
in bronchioloalveolar carcinoma, 181
clefts in intradermal nevi, 362
colonic carcinoma, stromal reactions, 403
ECL cell argyrophil carcinoids, 412, 414–415
epithelioid-spindle cell nevus, 101
gastroduodenal endocrine tumors, 49–50
in gastroenteritis, 457
giant granules, in Chédiak-Higashi syndrome, 225
glassy cell cervical carcinoma, 379
green hair, 303
hepatocellular carcinoma, 105
in hyaline cytoplasm, 395
in intermittent claudication, 311
intracytoplasmic lumens, in nasal mucosa, 478
laryngeal chemodectoma, 133
lobular carcinoma of breast, 152
malignant meningioma, 97
in membranoproliferative glomerulonephritis, 79
in Menkes syndrome, 238
metastatic balloon cell melanoma, 357–360
myxoid chondrosarcoma, 519
myxoid liposarcoma, 160
nasal blastoma, 487
neuroendocrine carcinoma: esophageal, 369
skin, 502
neurons, 289
osteogenic sarcoma, 112
parathyroid carcinoma, 141
quantitative (*see* Stereology)

Electron microscopy (*Cont.*):
renal glomerular deposits, in bronchogenic carcinoma, 527
signet ring cell lymphoma, 513
in sudden infant death syndrome, 7
thymic carcinoid, 123
unidentified intracellular particles, 583
Whipple's disease, 75
(*See also* Correlation microscopy)
Endocervical adenoma, 428–431
Endocrine tumors, gastroduodenal, 49–53
Endometrioid carcinoma, 434–438
Energy-dispersive x-ray analysis (*see* X-ray energy-dispersive analysis)
Enteritis, viral, and sudden infant death syndrome, 7–10
Enterochromaffinlike (ECL) cell tumors, 411–417
Epidermis, basal lamina, in aging and diabetes, 559–572
Epididymis, adenomatoid tumor, 39–47
Epithelial cells, in nasal blastoma, 488
Epithelial-stromal interface, in human bladder epithelium, 201–209
Epithelioid-spindle cell nevus, 101–103
Epithelium:
metaplastic, 478
pseudostratified columnar, 478
Erythrophagocytosis, 255
Esophagus:
malignant lesions (1947–1978), 368
neuroendocrine carcinoma, 367–375

Fibril(s), in tuberous sclerosis, 294
Fibrillar bodies, in gastroduodenal endocrine tumors, 49
Fibroblasts, cultured, copper in, 237
Flimmerblasen, 483
Fluorescence microscopy, in nephrotic syndrome, 575
Fungal antigens, 19

Gastric carcinoid, 411–417
Gastroduodenal endocrine tumors, 49–53
Gastroenteritis, viruslike particles in, 457–459
Giant cell, multinucleated, Warthin-Finkeldey type, 243
Giant granules, in polymorphonuclear leukocytes, cytochemical reactivity of, 223–234
Glassy cell carcinoma, 377–384
Glial cells, cultured human, residual bodies in, 11–17
Glial fibrillary acidic protein (GFAP), in tuberous sclerosis, 291
Glomerulopathy:
immunotactoid, 582
kappa, 582
Glomerulus, histologic appearance, in nephrotic syndrome, 575–582

Granules:
giant, in polymorphonuclear leukocytes, 223–234
Langerhans cell, 19
lipofuscin (*see* Residual bodies)
neurosecretory, in esophageal carcinoma, 369
pulmonary eosinophilic, 19
Granuloma, polytef, 471–475
Gray platelet syndrome, 548, 553–556
Green hair, copper in, 301–307

Hair, green, 301–307
Hemarthrosis, 254
Hepatocellular clear cell carcinoma, 105–109
Herpesvirus, in brain death, 445–447
Histochemistry:
ECL cell argyrophil carcinoids, 411
enzyme, in intermittent claudication, 310
heavy metal, 237
Histology, glomerular, in nephrotic syndrome, 575–582
Hyaline tumor cells, cytofilament aggregates and, 395–400
Hyperplasia, benign prostatic, 89

IgG_3, 577–582
IgG/IgM cryoglobulinemia, membranoproliferative glomerulonephritis in, 79–83
Immunohistochemistry:
neuroendocrine skin carcinoma, 500
renal glomerular deposits, 527
Immunoperoxidase staining:
for glial fibrillary acidic protein, 289, 293
in neuroendocrine skin carcinoma, 502
Immunotactoid glomerulopathy, 581–582
Inclusions:
crystalline, intramitochondrial, 495–497
intracytoplasmic, in measles lymphadenopathy, 243
intranuclear tubular, 211
tubuloreticular, 1–6
Insulin therapy, and basal lamina accumulation, 567
Intermittent claudication:
mitochondrial volume densities, 461–469
skeletal muscle analysis, clinical and morphological data, 309–324
Intestinal epithelium, copper in, 237
Intracytoplasmic inclusions, in measles lymphadenopathy, 243
Intracytoplasmic lumens, in nasal mucosa, 477–484
Intradermal melanocytic nevi, 361–365
Intranuclear tubular inclusions, in type II alveolar pneumocytes, busulfan and bleomycin and, 211–219
Iron, in residual bodies, 11
Ischemia, 309, 461

Joint space, uptake of material from, 255
Juvenile melanoma (*see* Epithelioid-spindle cell nevus)

Kappa glomerulopathy, 580–582
Kidney:
in bronchogenic carcinoma, 527
nephrotic syndrome, 575
(*See also* Renal)

Langerhans' cell(s), in bronchioloalveolar carcinoma, 19–36
Langerhans' cell granules, 19
Larynx:
chemodectoma, 133–138
polytef injection, granuloma and, 471–475
Leukemia, acute myelogenous, 55–64
Light microscopy:
in acute myelogenous leukemia, 56
adenomatoid tumors, 39
Alport's syndrome, 85
apocrine carcinoma of breast, 386
astrocytes, 289
balloon cell melanoma, 357
benign interstitial cell testicular tumor, 127
in benign prostatic hyperplasia, 89
in bleomycin lung toxicity, 212
in brain death, 445
in busulfan lung toxicity, 212
clefts in intradermal nevi, 362
ECL cell argyrophil carcinoids, 412–413
epithelioid-spindle cell nevus, 101
gastroduodenal endocrine tumors, 49
glassy cell cervical carcinoma, 379
hepatocellular carcinoma, 105
intracytoplasmic lumens in nasal mucosa, 478
laryngeal chemodectoma, 133
lobular carcinoma of breast, 151
malignant meningioma, 97
in membranoproliferative glomerulonephritis, 79
myxoid chondrosarcoma, 519
myxoid liposarcoma, 158
nasal blastoma, 487
neuroendocrine carcinoma: esophageal, 369
skin, 501
neurons, 289
osteogenic sarcoma, 111
parathyroid carcinoma, 141
signet ring cell lymphoma, 511
small cell carcinoma of thyroid, 265
thymic carcinoid, 121
Whipple's disease, 75
(*See also* Correlation microscopy)
Limb-girdle muscular dystrophy, 328
Lipofuscin granules (*see* Residual bodies)
Liver, hepatocellular clear cell carcinoma, 105–109
Lumens, intracytoplasmic, 477–484
Lumina (*see* Lumens)
Lung:
bleomycin toxicity, 211–220
busulfan toxicity, 211–220
carcinoma, 177–187
renal glomerular deposits in, 527
oncocytic carcinoid tumor, 171–176
Lymphadenitis, measles vaccination and, 243
Lymphoma, signet ring cell, 511–517
Lysosomes, secondary, 11
in Chédiak-Higashi syndrome, 231

Macrophage, subsynovial, 254
Measles lymphadenopathy, 243–247
Mediastinum, lesions of, 126–132
Melanoma:
juvenile, 101–103
metastatic, 337–355, 357–360
balloon cell changes in, 357–360
clinical and histologic features, 339
fine structure, 340
microtubules in, 1–6
Melanosomes, in metastatic malignant melanoma, 343, 346, 348, 351–355
Membrane systems, blood platelets, 537, 550–554
Membranoproliferative glomerulonephritis, in mixed IgG/IgM cryoglobulinemia, 79–83
Meningioma, malignant, 97–100
Menkes syndrome, 237–242
Merkel cells, and neuroendocrine skin carcinoma, 499
Metaplasia, apocrine, 389–392
Metaplastic epithelium, intracytoplasmic lumens in, 478
Metastases:
bronchioloalveolar carcinoma, 177
melanoma, 337–355, 357–360
posterior fossa meningioma, 97–100
Microtubular aggregates, in myxoid chondrosarcoma, 519
Microtubules, in human melanoma cells, 1–6
Mitochondria, crystalline inclusions, 495
Mitochondrial volume density (V_{mit}), in ischemic muscle, 461–469
Mixed endocervical-intestinal adenoma, 431–433
Mucinous tumors:
benign, 428–432
borderline, 432
cystadenocarcinoma, 434–435
Müllerian adenosarcoma, of uterus, 189–200
Muscle, skeletal:
basal lamina of, in aging and diabetes, 559
ischemic, mitochondrial volume densities in, 461
in intermittent claudication, clinical and morphological data, 309–324
Muscular atrophy, 332–334
Muscular dystrophy:
correlation microscopy in, 327–334
Duchenne, 332
limb-girdle, 328
Myeloblasts, leukemic, 55
Myeloperoxidase, in Chédiak-Higashi syndrome, 228
Myofibers, in muscle lesions, 328–334

Myofibroblast, in nasal blastoma, 491
Myxoid chondrosarcoma, 519–524
Myxoid liposarcoma, 157–169

Nasal blastoma, 487–494
Nasal mucosa, intracytoplasmic lumens in, 477–484
Nephrotic syndrome, in middle aged man, 575
Neuroblastoma, crystalline inclusions in, 495–497
Neuroendocrine carcinoma:
  esophageal, 367–375
  skin, 499–508
Neuron, differentiating criteria, 289
Neurosecretory granules, in esophageal carcinoma, 369
Nevus:
  epithelioid-spindle cell, 101–103
  intradermal melanocytic, clefts in, 361–365
Nickel workers, nasal mucosa of, 477–484

Oncocytes, 171, 389
Open canalicular system (OCS), blood platelet, 535, 550–554
Organelle zone, blood platelet, 537, 547–550
Osteogenic sarcoma, 111–120
Otofuke agent, 457
Ovary:
  epithelial tumors, 419–443
    benign serous, 419–423
    Brenner tumors, 438–440
    celomic inclusion cysts, 419–420
    clear cell carcinoma, 436–439
    distinguishing features, 440–443
    endometrioid carcinoma, 434–438
    mucinous: benign, 428–432
      borderline, 432–434
      cystadenocarcinoma, 434–435
    serous cystadenocarcinoma, 425–426, 428–429
      borderline malignant, 423, 425, 427

Papillary transitional cell carcinoma, bladder, 202
Papilloma, inverted, 202
Parathyroid gland, carcinoma, 141–150
Parlodel (*see* Bromocryptine)
Peripheral zone, blood platelet, 536, 541–547
Perivascular mesenchymal cells, 157
Platelets (*see* Blood platelet)
Pneumocytes, type II alveolar, intranuclear tubular inclusions in, 211–221
Polymorphonuclear leukocytes, giant granules in, cytochemical reactivity of, 223–234
Polytef granuloma, 471–475
Premelanosomes, in metastatic melanoma, 346, 348, 352
Prostate, hyperplasia, benign, 89
Pseudostratified columnar epithelium, intracytoplasmic lumens in, 478
Pulmonary eosinophilic granuloma, and bronchioloalveolar carcinoma, 19
Pylorus, endocrine tumor, 50

Quantitative electron microscopy (*see* Stereology)

Renal glomerulus, deposits in, immunohistochemical analysis, 527, 575
Renal tubules, basal lamina of, in aging and diabetes, 559
Residual bodies, in aged cultured human glial cells, 11–17
Reticuloendothelial system, "articular territory," 249–262
Rough endoplasmic reticulum:
  intracisternal tubules in, in melanoma, 1
  myxoid chondrosarcoma, 519

Scanning electron microscopy (SEM):
  müllerian adenosarcoma of uterus, 189
  polytef granuloma, 471
  (*See also* Correlation microscopy)
Scanning transmission electron microscopy, and Albert V. Crewe, 275
Secondary lysosomes, 11
  in Chédiak-Higashi syndrome, 231
Serous cystadenocarcinoma, 425–426, 428–429
  borderline malignant, 423, 425, 427
Serous cystadenoma, 421–422, 424–426
Serum precipitating antibodies, 19
Signet ring cell lymphoma, 511–517
Skin carcinoma, neuroendocrine, 499
Smooth endoplasmic reticulum, tubular complexes of, in acute myelogenous leukemia, 55–64
Somatostatin, in neuroendocrine skin carcinoma, 502
Spinal muscular atrophy, correlation microscopy in, 332–334
Spindle cells, in nasal blastoma, 488
Sputum cytology, in bronchioloalveolar carcinoma, 179
Squamous cell carcinoma, rectal, 404
Stereology, 461
Steroid levels, posttreatment, in benign prostatic hyperplasia, 93
Stroma, in colonic carcinoma, 403–409
Subependymal lesions, 290–292, 294–295
Sudden infant death syndrome (SIDS), 7–10
Syndromes:
  Alport's, 85–88
  Chédiak-Higashi, 223–234
  gray platelet, 548, 553–556
  Menkes, 237–242
  nephrotic, 575
  sudden infant death, 7–10
Synovial membrane, 250
  intima, 251
  persistence of injected material, 258
  subsynovial tissue, 254
Systemic lupus erythematosus, microtubular structures, 218–220

Testis, benign interstitial cell tumor, 127–132
Thymus, carcinoid, 121–126
Thyroid:
  nodule, polytef granuloma mimicking, 471–475
  small cell carcinoma, 265–269
Transitional cell carcinoma, urinary bladder, 203
Transmission electron microscopy (TEM):
  residual bodies, in aged cultured human glial cells, 11
  müllerian adenosarcoma of uterus, 189
  (*See also* Correlation microscopy)
Tuberous sclerosis, in children, CNS pathology, 287–298
Tubular complexes, in leukemic myeloblasts, 55–64
Tubular structures:
  intracellular, comparison of, 218
  intranuclear, 211
Tubules, intracisternal, in human melanoma cells, 1–6
Tubuloreticular inclusions, 1–6
Tumors:
  adenomatoid, 39
  anemone cell, 449–453
  bladder, 201
  Brenner, 438–440
  chemodectoma, 133
  ECL cell argyrophil carcinoids, 411–417
  epithelioid-spindle cell nevus, 101
  gastroduodenal endocrine, 49
  malignant meningioma, 97
  metastatic malignant melanoma, 337–355
  müllerian adenosarcoma of uterus, 189
  myxoid chondrosarcoma, 519
  myxoid liposarcoma, 157
  nasal blastoma, 487
  oncocytic carcinoid of lung, 171
  osteogenic sarcoma, 111
  ovarian, 419–443
  polytef granuloma, 471
  small cell, of thyroid, 265
  testicular, benign interstitial cell, 127
  thymic carcinoid, 121
  (*See also* Carcinoma; *specific tumor*)

Ultrastructure:
  bleomycin lung toxicity, 212
  blood platelets, 533
  bronchial carcinoid, 171
  bronchioloalveolar carcinoma, 177
  busulfan lung toxicity, 212
  epithelial ovarian tumors, 419–443
  glomeruli, in nephrotic syndrome, 575
  ischemic skeletal muscle, 309–324, 461
  measles lymphadenitis, 243
  metastatic malignant melanoma, 337–355
  müllerian adenosarcoma of uterus, 192
  signet ring cell lymphoma, 511
  small cell carcinoma of thyroid, 265
  (*See also* Electron microscopy; Light microscopy)
Uterus, müllerian adenosarcoma, 189

Vaccination, measles, complications, 243
Vacuoles, in signet ring lymphoma, 511
Viral enteritis, and sudden infant death syndrome, 7–10
Viruslike particles, gastroenteritis and, 457–459

Warthin-Finkeldey giant cell, 243
Whipple's disease, 75–78

X bodies (*see* Langerhans' cell granules)
X-ray energy-dispersive analysis:
  in green hair, 301–307
  in Menkes syndrome, 239
  polytef granuloma, 471
  of residual bodies, in aged cultured human glial cells, 11–17